




KEY PLAN
SCALE 1:10000

- NOTES:**
1. THIS TYPE OF FILTER BARRIER CONSISTS OF GEOTEXTILE FILTER FABRIC SECURELY ATTACHED ON THE UPSTREAM SIDE.
 2. SILT FENCES SHOULD BE USED ONLY FOR INTERCEPTING SHEET FLOWS OF DRAINAGE AREA NO LONGER THAN 30m AND NO STEEPER THAN 2:1.
 3. THE FENCE HEIGHT SHOULD BE 0.9m TO 1.0m AND THE LENGTH APPROX. 30m PER 1000m² OF DRAINAGE AREA.
 4. THE FABRIC IS TO BE RECESSED INTO A TRENCH 0.1m x 0.1m, BACKFILLED, AND COMPACTED.
 5. FENCE POST SHOULD BE SPACED NO MORE THAN 3.0m APART AND SET INTO THE GROUND AT LEAST 0.6m.





#	REVISION	DATE	INIT
1	REVISED PER TOWNSHIP COMMENTS	2022-11-04	B.K.
0	ISSUED FOR REVIEW	2022-03-31	B.K.

NOTES:

1. THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWER, AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS AND, WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, THE CONTRACTOR SHALL INFORM HIMSELF OF THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND SHALL ASSUME ALL LIABILITY FOR DAMAGE TO THEM.
2. PROPERTY LINES WERE PLOTTED USING REGISTERED PLANS AND BARS LOCATED IN THE FIELD TO VERIFY THE ACCURACY OF THESE PROPERTY LINES. A LEGAL SURVEY SHOULD BE PERFORMED PRIOR TO CONSTRUCTION.
3. ALL CONSTRUCTION MUST COMPLY WITH THE NIAGARA PENINSULA STANDARD CONTRACT DOCUMENT.

DRAFTING B.K.
DESIGN B.K.
CHECKED BY J.S.
APPROVED BY



OWNER
POLS ENTERPRISES LTD.
52009 REGIONAL ROAD 24
WAINFLEET
LOS 1v0

53814 ZION ROAD
TOWNSHIP OF WAINFLEET
SITE GRADING PLAN

CONSULTANT FILE No.	2125
DATE	2022-11-04
PRINTED	2022-11-04
SCALE	1:5000 m
REF No.	
DWG No.	2125-GP
REV	1